

## Silicone

- wt: 0.9 | id: 1.42 | od: 3.22 (      )

P/N: 525-30025-00



- :
  - ,
  - ,
  - ,
- : 가 ,
- : USP Class VI, FDA, GLP NSF
- : -80 +200 °C
- : 30 가
- : 가 , 가

：

：

가 ：

：

：

：

：

：

## Silicone

- wt: 0.9 | id: 1.42 | od: 3.22 (      ) -

|                                                            |                     |
|------------------------------------------------------------|---------------------|
|                                                            | 1.42 mm             |
|                                                            | 3.22 mm             |
| (wt)                                                       | 0.9 mm              |
| (      /      )                                            | 0.5 / 1.5 bar       |
|                                                            | 7 mH <sub>2</sub> O |
| SP quick Advantage 06/Precision 06(      /      )          | not suitable        |
| SP quick Value 06(      /      )                           | not suitable        |
| SP quick Advantage 01/Precision 01(      /      )          | not suitable        |
| SP quick Value 01(      /      )                           | not suitable        |
| SP standard/Advantage 06/Precision 06(      /      )       | not suitable        |
| SP standard/Value 06(      /      )                        | not suitable        |
| SP standard/Advantage 01/Precision 01(      /      )       | not suitable        |
| SP standard/Value 01(      /      )                        | not suitable        |
| Hei-FLOW Advantage 01/Precision 01 - C12 - (      /      ) | 0-10 – 3 ml/min     |
| Hei-FLOW Advantage 01/Precision 01 - C4 - (      /      )  | 0.60 – 14 ml/min    |
| Hei-FLOW Value 01 - C12 - (      /      )                  | 0.23 – 3 ml/min     |
| Hei-FLOW Value 01 - C4 - (      /      )                   | 1 – 15 ml/min       |
| Hei-FLOW Value 01 - C8 - (      /      )                   | not suitable        |
| Hei-FLOW Value 01 - C8 - (      /      )                   | not suitable        |

Hei-FLOW Advantage 01/Precision 01 - not suitable  
C8 - ( / )

Hei-FLOW Advantage 01/Precision 01 - not suitable  
C8 - ( / )

Tygon® (Standard) tubing and water