

PharMed®

- wt: 0.9 | id: 0.25 | od: 2.05 ()

P/N: 525-20022-00



- : , ,
- :
 -
 -
 - , 가
 -
- : 가 가 , ,
- : USP Class VI, GLP Pharmacopoea, Europaea
- : -51 +135 °C
- :
- : 가 가

:

:
가 :
:
:
:
:
:
:
:
:

PharMed®

- wt: 0.9 | id: 0.25 | od: 2.05 () -

	0.25 mm
	2.05 mm
(wt)	0.9 mm
(/)	0.5 / 1.5 bar
	7 mH ₂ O
SP quick Advantage 06/Precision 06(/)	not suitable
SP quick Value 06(/)	not suitable
SP quick Advantage 01/Precision 01(/)	not suitable
SP quick Value 01(/)	not suitable
SP standard/Advantage 06/Precision 06(/)	not suitable
SP standard/Value 06(/)	not suitable
SP standard/Advantage 01/Precision 01(/)	not suitable
SP standard/Value 01(/)	not suitable
Hei-FLOW Advantage 01/Precision 01 - C12 - (/)	0.005 – 0.11 ml/min
Hei-FLOW Advantage 01/Precision 01 - C4 - (/)	0.02 – 0.49 ml/min
Hei-FLOW Value 01 - C12 - (/)	0.005 – 11 ml/min
Hei-FLOW Value 01 - C4 - (/)	0.04 - 0.53 ml/min
Hei-FLOW Value 01 - C8 - (/)	not suitable
Hei-FLOW Value 01 - C8 - (/)	not suitable

Hei-FLOW Advantage 01/Precision 01 - not suitable
C8 - (/)

Hei-FLOW Advantage 01/Precision 01 - not suitable
C8 - (/)

Tygon® (Standard) tubing and water