

# Hei-VAP Expert Control - G3 XL

P/N: 573-02305-00



Hei-VAP Expert

가

- 5 ”
- G3 XL Hei-VAP Expert Control - 2,200cm<sup>2</sup>
- ,
- :
- ,
- 2
- . USB 가
- ( )
- Dynamic AUTO<sub>accurate</sub>(DAA) 가 :
- USB SD

## Hei-VAP Expert Control -

|                             |                                                                                                                   |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------|
|                             | 5" LCD color graphic display                                                                                      |
| 가                           | 5 – 31 °C at 80 % rel. humidity<br>32 – 40 °C decreasing lineary up to max 50% rel. humidity                      |
| Protection class (EN 60529) | IP 20                                                                                                             |
|                             | Hand lift                                                                                                         |
|                             | manual                                                                                                            |
|                             | 155 mm                                                                                                            |
|                             | brushless DC motor with electronic speed control                                                                  |
| 가                           | 1,300 W                                                                                                           |
| 가                           | 20 – 210 °C                                                                                                       |
|                             | ±1K                                                                                                               |
|                             | cut-off at 5 °C over set temperature via separate PT 1000                                                         |
|                             | 5" LCD color graphic display                                                                                      |
| 가                           | electronic / digital                                                                                              |
| 2                           | 250 °C                                                                                                            |
| 가                           | stainless steel V4A                                                                                               |
| 가                           | 255 mm                                                                                                            |
| 가                           | Up to 6 liter (2.2 to 4.5 liter recommended filling volume, depending on the flask size and immersion angle used) |
|                             | Yes                                                                                                               |
|                             | Vapor temperature sensor                                                                                          |
|                             | Yes                                                                                                               |
|                             | Yes                                                                                                               |
| 가                           | Yes                                                                                                               |
|                             | 1,400 W                                                                                                           |

|                      |         |                       |
|----------------------|---------|-----------------------|
|                      |         | 15 kg                 |
| G3                   | ( / / ) | 739 x 532 x 887 mm    |
| G3 XL                | ( / / ) | 739 x 532 x 920 mm    |
|                      |         | 1,400 cm <sup>2</sup> |
| XL                   |         | 2,200 cm <sup>2</sup> |
|                      |         | 5 l                   |
|                      |         | 10 - 280 rpm          |
| Hei-CHILL            |         | Yes                   |
| Dynamic AUTOaccurate |         | Yes                   |
| AUTOaccurate         |         |                       |
|                      |         | Yes                   |