

Hei-PLATE Mix 'n' Heat Core+ (135 mm)

P/N: 506-22100-00



Pt1000

가 -

Hei-PLATE Mix 'n' Heat Core+
1,400rpm

가

300 ° C

가

LED

"Research made easy (가)"

가

50 ° C

.가

가

Kera-Disk®

135mm

가

Hei-PLATE Mix 'n' Heat Core+

가

가

가

(FAST/PRECISE)

Pt1000

.

Hei-PLATE Mix 'n' Heat Core+ (135 mm) -

	–
/	–
가	5~31 ° C 80% , 32~40 ° C 50%
	3 kg
Protection class (EN 60529)	IP 42
	EC-
	–
	LCD-Display
	100~1,400 rpm
H O	20 l
	825
	20 – 300 ° C
Temperature measurement accuracy	-
(/ /)	168 x 299 x 101 mm
	± 2 %
	800
	± 1 K
	Pt1000
	± 5 ° C
	25 kg
Ø	135/ 145 mm
	Kera-Disk® ,
	-
	II

Connection	L + N + PE
Acoustic pressure	< 50 dB (A)
Heating control	PID
Installation altitude	2,000 m
EMC class	B, Group 1
Protection class IEC 61140	I
Protection class IEC 60529	-
Usable Surface heating plate	-
Degree of pollution	-
Temperature measurement resolution	-
Rated Voltage	-