

VISCO JET® - 80 mm (POM)

P/N: 509-16081-00



Particularly in the case of applications with very viscous media such as pastes and gels, a very reliable stirring process in the entire vessel without air entry is important. This is what the innovative stirring system VISCO JET® offers!

The particular shape of the blades triggers an intrinsically dynamic flow, which shortens the process times with significantly better mixing results compared to conventional impellers. An all-rounder for aqueous and highly viscous substances. You can find out more about this [here](#).

The VISCO JET® 80 is ideal for vessels with the following characteristics:

- ideal vessel diameter: 133- 200 mm
- ideal ground clearance: 24 mm
- ideal filling level: 133- 200 mm
- ideal volume: 1,900 - 6,300 ml

This VISCO JET® 80 is made of POM plastic and can be used up to max. 90°C.

A polyamide coated stirrer shaft with a diameter of approx. 10 mm is included in the scope of delivery.

VISCO JET® - 80 mm (POM) - Teknik veri

| | |
|-----------------------|--|
| Blade ölçüsü | 80 mm |
| Materyal | impeller: plastic (POM) hub: brass shaft: polyamide-coated |
| Uzunluk | 500 mm |
| Şaft çapı | 10 mm |
| Vesel çapı için | 115 - 200 mm |
| Rotasyon hız derecesi | 200 - 700 rpm |