

Hei-VAP Core - 160 mm G6 20° 80°

P/N: 571-01610-00



160 mm G6 20° 80°

- 160 mm G6 20° 80°
- 160 mm G6 20° 80°
- 160 mm G6 20° 80°
- LED 160 mm G6 20° 80°
- 160 mm G6 20° 80°
- 160 mm G6 20° 80°
- 160 mm G6 20° 80°
- 160 mm G6 20° 80°

Hei-VAP Core - 3000

Display	3.5"LCD
Humidity control	5-31%RH (max) 80% 32-40%RH (max) 50%
Compliance	DIN EN 60529
Protection	IP 20
Material	Stainless Steel
Control	Touch
Height	155 mm
Power	1,300 W
Temperature range	20 – 210 °C
Temperature stability	±1K
Temperature sensor	PT 1000 (max) 5% RH (max)
Display	3.5"LCD
Control	Touch/Keypad
Temperature range	250 °C
Material	AISI 316L
Height	255 mm
Volume	4.5 l
Weight	-
Dimensions (w/d/h)	-
Dimensions (w/d/h)	-
Dimensions (w/d/h)	-
Power	1,400 W
Weight	15 kg
Dimensions (w/d/h) G3	739 x 487 x 845 mm
Dimensions (w/d/h) G3 XL	739 x 487 x 920 mm

Premium Laboratory Equipment

表面积	1,400 cm ²
XL表面积	2,200 cm ²
容量	5 l
转速	10 - 280 rpm
Hei-CHILL冷却系统	-
Dynamic AUTOaccurate/AUTOaccurate	-
Solvent library	-